



Bearing de Mexico, S.A.

KOYO K35X40X17H needle roller bearings



K35X40X17H Bearing 2D drawings and 3D CAD models

Bearing No. K35X40X17H

Bore Diameter	35 mm
Outer Diameter	40 mm
Fw	35 mm
Ew	40 mm
Bc	17 mm
Weight	0.025 Kg
Basic dynamic load rating (C)	22.1 kN
Basic static load rating (C0)	40.8 kN
(Grease) Lubrication Speed	7900 r/min
(Oil) Lubrication Speed	12000 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.03
EAN	0060579020895
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly Only
Enclosure	Not Applicable
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	Not Applicable



Bearing de Mexico, S.A.

Inch - Metric	Metric
Thrust Bearing	No
Long Description	35MM Bore; 40MM Outside Diameter; 17MM Width; Needle Roller Bearing; Roller Assembly Only; No Self Aligning; Retainer; Single Row of Rollers; No Separable
Other Features	Radial Roller Hardened Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	K35X40X17H
Weight / LBS	0.055
Width	0.669 Inch 17 Millimeter
Bore	1.378 Inch 35 Millimeter
Outside Diameter	1.575 Inch 40 Millimeter
Bearing No.	K35X40X17H
Cr	22.1
C0r	40.8
Cu	6.35
Grease lub.	7900
Oil lub.	12000
P/S	S
(Refer.) Mass(kg)	0.025
Shaft(max.)	35.000
Shaft(min.)	34.989
Housing(max.)	40.025
Housing(min.)	40.009



Bearing de Mexico, S.A.